

	Type	Hits	Search Text	DBs	Time Stamp
1	BRS	38	block\$1cipher same encryption	USPAT; US-PGPUB; IBM_TDB	2004/06/22 15:59
2	BRS	163	encrypt\$5.ab. and select\$4 near1 mode\$1 and block\$1	USPAT; US-PGPUB; IBM_TDB	2004/06/23 08:56
3	BRS	13	madryga	USPAT; US-PGPUB; IBM_TDB	2004/06/23 08:59
4	BRS	21	("4078152" "4157454" "4160120" "4168396" "4249180" "4255811" "4306111" "4308617" "4375579" "4724541" "4982429" "5003596" "5003597" "5054067" "5103479" "5214704" "5317638" "5351299" "5381480" "5454039" "5835600").PN.	USPAT	2004/06/23 09:07
5	BRS	173	block adj counter same mode	USPAT; US-PGPUB; IBM_TDB	2004/06/23 09:39
6	BRS	11	block adj counter same mode\$1 and encrypt\$4	USPAT; US-PGPUB; IBM_TDB	2004/06/23 09:42
7	BRS	6	("3938091" "3956615" "3985998" "4004089" "4025760" "4120030").PN.	USPAT	2004/06/23 09:42
8	BRS	4	("5005200" "5307409" "5432848" "5544244").PN.	USPAT	2004/06/23 11:16
9	BRS	362	variable adj key	USPAT; US-PGPUB; IBM_TDB	2004/06/23 11:56
10	BRS	86	variable adj key same encryption	USPAT; US-PGPUB; IBM_TDB	2004/06/23 11:56
11	BRS	67	variable adj key same encryption and initial\$6	USPAT; US-PGPUB; IBM_TDB	2004/06/23 12:21
12	BRS	72	cipher adj feedback same key	USPAT; US-PGPUB; IBM_TDB	2004/06/23 13:57
13	BRS	81	subkey and key\$1 near select\$3	USPAT; US-PGPUB; IBM_TDB	2004/06/23 14:03
14	BRS	755	380/28.ccls.	USPAT; US-PGPUB; IBM_TDB	2004/06/23 14:18
15	BRS	606	380/28.ccls. and block	USPAT; US-PGPUB; IBM_TDB	2004/06/23 14:18

	Type	Hits	Search Text	DBs	Time Stamp
16	BRS	263	380/28.ccls. and block and (encrypt or encode) and (decrypt or decode)	USPAT; US-PGPUB; IBM_TDB	2004/06/23 14:19
17	BRS	49	380/28.ccls. and block and (initial\$7 near key)	USPAT; US-PGPUB; IBM_TDB	2004/06/23 14:21
18	BRS	54	380/28.ccls. and (initial\$7 near key)	USPAT; US-PGPUB; IBM_TDB	2004/06/23 15:17
19	BRS	77	(initial\$7 near key) and subkey\$1	USPAT; US-PGPUB; IBM_TDB	2004/06/23 15:18
20	BRS	0	(initial\$7 near key) and subkey\$1 not ((initial\$7 near key) and subkey\$1)	USPAT; US-PGPUB; IBM_TDB	2004/06/23 15:18
21	BRS	70	(initial\$7 near key) and subkey\$1 not 380/28.ccls.	USPAT; US-PGPUB; IBM_TDB	2004/06/23 15:19
22	BRS	17	(initial\$7 near key) and subkey\$1 not 380/28.ccls. not ink	USPAT; US-PGPUB; IBM_TDB	2004/06/23 15:20
23	BRS	24	(initial\$7 near key) and subkey\$1 not ink	USPAT; US-PGPUB; IBM_TDB	2004/06/23 15:20
24	BRS	76	(initial\$7 near key) and subkey\$1 and (encrypt\$ or encod\$)	USPAT; US-PGPUB; IBM_TDB	2004/06/23 15:23
25	BRS	309	380/37.ccls.	USPAT; US-PGPUB; IBM_TDB	2004/06/23 15:56
26	BRS	193	380/37.ccls. and keys	USPAT; US-PGPUB; IBM_TDB	2004/06/24 07:57
27	BRS	56	tatebayashi-makoto.in.	USPAT; US-PGPUB; IBM_TDB	2004/06/24 08:17
28	BRS	7	("4074066" "4078152" "4157454" "4229818" "4447672" "4944006" "5442705").PN.	USPAT	2004/06/24 08:29
29	BRS	5	("3657699" "3740475" "3798359" "3798360" "3911216").PN.	USPAT	2004/06/24 08:43
30	BRS	40	(des or "data encryption standard") same interleav\$3	USPAT; US-PGPUB; IBM_TDB	2004/06/24 10:04
31	BRS	5252	(des or "data encryption standard") same (encrypt\$ or encod\$)	USPAT; US-PGPUB; IBM_TDB	2004/06/24 10:05
32	BRS	409	(des or "data encryption standard") same (encrypt\$ or encod\$) and (two adj keys)	USPAT; US-PGPUB; IBM_TDB	2004/06/24 10:07

	Type	Hits	Search Text	DBs	Time Stamp
33	BRS	170	(block near cipher) same (encrypt\$ or encod\$) and (two adj keys)	USPAT; US-PGPUB; IBM_TDB	2004/06/24 10:10
34	BRS	149	skipjack and encryption	USPAT; US-PGPUB; IBM_TDB	2004/06/24 11:11
35	BRS	27	encryption and gost	USPAT; US-PGPUB; IBM_TDB	2004/06/24 11:12
36	BRS	9	("4933969" "4995082" "5214703" "5384848" "5606616" "5623549" "5671284" "5673319" "5703952").PN.	USPAT	2004/06/24 12:10